




VISIT US ON OUR WEBSITE!





Accessible from anywhere! You can also open our website through your mobile devices

www.bernstein-werkzeuge.de





CONTENT

6400 - tool case TECHNIC

Cases PROTECTION – Series overview 4

6100 - tool case PC-Conact 6



6700 - tool case TELEDATA 10



6750 - tool case SECURITY

ASSEMBLY OVERVIEW 14

TOOL CASE

ALWAYS READY!

PROTECTION

The case PROTECTION includes the following equipment:

There is a document compartment in the lid as well as a removable tool board with 26 pockets on the front and back. The bottom tray is available in two versions:



6755 Cover plate with 16 pockets

ideal for many small tools **INSIDE**

The removable tool boards made of CONPEARL® with pockets are robust, washable and interchangeable. The bottom tray is freely partitionable with removable walls.

Document compartment in the lid



OUTSIDE

The compact shape and the structured surface give this tool case a high stability and give it its unmistakable BERNSTEIN design.

The use of X-ABS plastic with an extreme antislip surface make the case more resistant against external influences. The high impact and break-proof material makes the tool case suitable for air travel.

The stable aluminium frame, the ergonomically shaped handle with handle recess and the lid locking mechanism round the image of a highly functional and modern tool case.



bottom tray

freely partitionable

outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm

6415: 4.320 g 6755: 4.390 g **Zylinder Locks**

on request also with **TSA-LOCK** (for USA-traveler) or combination lock available











6100 PC-CONTACT

A service case with tools for the installation and maintenance of computers and peripheral devices.

65 part tool assortment

consisting of:

	consisting of.		
item nr.	description	item nr.	description
6415	Tool case with bottom tray, 2 toolboards and	4-607	Screwdriver, dissipative handle, 50 x 3.0 mm
2-127	document compartment Tin knife	4-621	Cross-recess screwdriver, with dissipative handle, size PH 000 blade length 40 mm
2-132	Spring hook	4-622	Cross-recess screwdriver, with dissipative handle,
2-161	Magnetic bar		size PH 00, blade length 40 mm
2-166	Glass fibre contact cleaner brush	4-623	Cross-recess screwdriver, with dissipative handle, size PH 0, blade length 50 mm
2-265-1	Test prod, red, 1 mm	4-624	Cross-recess screwdriver, with dissipative handle, size PH 1,
2-265-2	Test prod, black, 1 mm		blade length 60 mm
2-275	Repair mirror	5-107	Engineer's tweezers, 150 mm, fine bent tips, nickel-plated
2-601	IC-tweezers	5-117	Engineer's tweezers, 145 mm, straight-flat-wide,
2-620	PLCC-extractor		nickel-plated
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head,	5-210	6-piece set needle files, in a plastic wallet
	Semi Flush, dissipative bicoloured handle	5-305	Combination cutters, 140 mm, stainless steel
3-606-15	End cutters CLASSICline, 120 mm, with angular tips 30°, Flush, dissipative bicoloured handle	6-200	8-piece socket wrench, in a plastic wallet
3-632-15		6-661	TORX-screwdriver, with dissipative handle, size T 5
3-032-15	Flat nose pliers CLASSICline, 120 mm, with short jaws, dissipative bicoloured handle	6-663 L	TORX-screwdriver, with dissipative handle, size T 7 with bore-hole
3-633-15	Snipe nose pliers CLASSICline, 120 mm, with short jaws, dissipative bicoloured handle	6-750-3	Extra-flat double open-ended wrench, 3 x 3,5 mm
3-634-15	Snipe nose pliers CLASSICline, 120 mm, with short jaws,	6-750-4	Extra-flat double open-ended wrench, 4 x 4,5 mm
	angular, dissipative bicoloured hand guard	6-750-5	Extra-flat double open-ended wrench, 5 x 5,5 mm
4-331	Installation screwdriver, 45 x 6 mm	6-750-6	Extra-flat double open-ended wrench, 6 x 6,5 mm
4-343 VDE	VDE voltage tester, 60 x 3.0 mm	6-750-7	Extra-flat double open-ended wrench, 7 x 8 mm
4-522	Electrician's screwdriver EUROline-Power, 75 x 3.0 mm	6-750-9	Extra-flat double open-ended wrench, 9 x 10 mm
4-523	Electrician's screwdriver EUROline-Power, 100 x 4.0 mm	6-771	Adjustable wrench, 100 mm
4-533	Cross-recess screwdriver, EUROline-Power, size PH 1, blade length 80 mm	6-820	8-piece wrench key set in a plastic wallet
4-542	Cross-recess screwdriver, EUROline-Power, size PZ 0,	6-984 L	TORX-screwdriver EUROline-Power, T 9 , with bore-hole
4-342	blade length 60 mm	6-985 L	TORX-screwdriver EUROline-Power, T 10, with bore-hole
4-543	Cross-recess screwdriver, EUROline-Power, size PZ 1, blade	6-986 L	TORX-screwdriver EUROline-Power, T 15, with bore-hole
	length 80 mm	7-425	Dust brush, bristles width 25 mm
4-603	Screwdriver, dissipative handle, 40 x 1.5 mm		

6100 PC-CONTACT



PROTECTION



65 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm




without tools: 4.320 g with tools: 5.975 g





6400 TECHNIC

A tool set for the technician. All tools are clearly arranged on two tool boards. The multitude of his tools distinguish this case.



consisting of:



15-531 VDE Wire stripper "Super" for works on hot lines up to 1000 Volt

6400 TECHNIC



PROTECTION



76 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 4.320 g with tools: 6.910 g





6700 TELEDATA

The case with special tools for the installation and maintenance of telecommunication systems, data networks and working with VDE insulated tools.

65 part tool assortement

consisting of:

	consisting of.		
item nr.	description	item nr.	description
6755	Tool case with bottom tray, 2 toolboards and	6-950	8-piece ballpoint wrench key set
	document compartment	6-995	8-piece TORX-wrench key with bore-hole
2-265-1	Test prod, red, 1 mm	7-425	Dust brush, bristles width 25 mm
2-265-2	Test prod, black, 1 mm	7-506	Tape measure, 2 m
2-601	IC-tweezers	7-616	Pocket hack saw PUK in a plastic wallet
2-620	PLCC-extractor	9-316	Chip-Container, 118 x 32 x 14 mm, Set of 3 pieces
2-701	Insertion tool with sensor, wire connection without soldering, screwing and stripping, cutting the	13-906 VDE	Side cutters, 160 mm, safety insulation
	remaining length all in one operation	13-915 VDE	Telephone pliers, 160 mm, straight, with wire cutter, safety insulation
3-574-6	Water pump pliers, 175 mm, red insulation	13-927 VDE	Flat nose pliers, 160 mm, safety insulation
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head, Semi Flush, dissipative bicoloured handle	13-936 VDE	Combination pliers, 160 mm, safety insulation
3-0605	Combination crimping pliers for connector types	14-651 VDE	Screwdriver, 75 x 2.5 mm, bicoloured safety insulation
	6P/6C, 6P/4C, 6P/2C und 8P/8C	14-652 VDE	Screwdriver, 100 x 3.5 mm, bicoloured safety insulation
5-107	Engineer's tweezers, 150 mm, fine bent tips, nickel-plated	14-653 VDE	Screwdriver, 100 x 4.0 mm, bicoloured safety insulation
5-117	Engineer's tweezers, 145 mm, straight-flat-wide, nickel-plated	14-681 VDE	Cross-recess screwdriver, size 0, blade length 60 mm, bicoloured safety insulation
5-240	6-piece set warding files with wooden handle in a plastic wallet	14-682 VDE	Cross-recess screwdriver, size 1, blade length 80 mm, bicoloured safety insulation
5-505	Swivel-blade cable stripper with hook blade Ø 4 - 28 mm	14-683 VDE	Cross-recess screwdriver, size 2, blade length 100 mm,
6-500-12	Double open-ended wrench, 12 x 13 mm		bicoloured saftey insulation
6-500-18	Double open-ended wrench, 18 x 19 mm	14-684 VDE	Cross-recess screwdriver, size 3, blade length 150 mm,
6-600	7-piece combination wrench set		bicoloured saftey insulation
6-600-12	Combination wrench, 12 mm	16-299 VDE	Socket wrench, 4,0 mm, with bicoloured safety insulation
6-600-17	Combination wrench, 17 mm	16-301VDE	Socket wrench, 5.0 mm, with bicoloured safety insulation
6-600-19	Combination wrench, 19 mm	16-302 VDE	Socket wrench, 5.5 mm, with bicoloured safety insulation

6700 TELEDATA



PROTECTION



65 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 4390 g with tools: 8170 g





6750 SECURITY

A tool case with special tools for the installation and maintenance of complex secuity and alarm systems as well as for working with VDE insulated tools and soldering with independent gas soldering iron.

54 part tool assortement

consisting of:

	consisting of:		
item nr.	description	item nr.	description
6755	Tool case with bottom tray, 2 toolboards and document compartment	8-376	Gas soldering iron Independent 75
2-265-1	Test prod, red, 1 mm	8-390 13-906 VDE	PRAKTIK desoldering suction pump Side cutters, 160 mm, safety insulation
2-265-2 2-701	Test prod, black, 1 mm Insertion tool with sensor, wire connection without sol-	13-915 VDE	Telephone pliers, 160 mm, straight, with wire cutter, safety insulation
	dering, screwing and stripping, cutting the remaining length all in one operation	13-927 VDE	Flat nose pliers, 160 mm, safety insulation
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head,	13-936 VDE	Combination pliers, 160 mm, safety insulation
0 001 10	Semi Flush, dissipative bicoloured handle	14-651 VDE	Screwdriver, 75 x 2.5 mm, bicoloured safety insulation
3-0611	Crimping pliers for BNC- und TNC-coaxial connectors	14-652 VDE	Screwdriver, 100 x 3.5 mm, bicoloured safety insulation
4-343 VDE	VDE voltage tester, 60 x 3.0 mm	14-653 VDE	Screwdriver, 100 x 4.0 mm, bicoloured safety insulation
5-505	Swivel-blade cable stripper with hook blade Ø 4 - 28 mm	14-681 VDE	Cross-recess screwdriver, size 0, blade length 60 mm, bicoloured safety insulation
5-515 5-535	Universal blade knife Coax cable stripper for Ø 4,8 - 7,5 mm	14-682 VDE	Cross-recess screwdriver, size 1, blade length 80 mm, bicoloured safety insulation
6-600 6-950	7-piece combination wrench set 8-piece ballpoint wrench key set	14-683 VDE	Cross-recess screwdriver, size 2, blade length 100 mm, bicoloured saftey insulation
6-995 7-116	8-piece TORX-wrench key with bore-hole Engineer's hammer to DIN 1041, 300 g	14-684 VDE	Cross-recess screwdriver, size 3, blade length 150 mm, bicoloured saftey insulation
7-425	Dust brush, bristles width 25 mm	15-531 VDE	Wire stripper "Super" for works on hot lines up to $100^{0\text{Volt}}$
7-506	Tape measure, 2 m	16-299 VDE	Socket wrench, 4,0 mm, with bicoloured safety insulation
7-535	Spirit level, 225 mm lang	16-301 VDE	Socket wrench, 5.0 mm, with bicoloured safety insulation
7-616	Pocket hack saw PUK in a plastic wallet	16-302 VDE	Socket wrench, 5.5 mm, with bicoloured safety insulation

6750 SECURITY



PROTECTION



54 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 4390 g with tools: 8100 g





ASSEMBLY OVERVIEW



item nr.	6100	6400	4400	0029	4700	6750	4750
1-909		0	•				
2-126		0	•				
2-127	• •		\(\frac{1}{2}\)				
2-128		0	•				
2-132	0 (> \(\)	0				
2-145		0					
2-161	• •	> •	•				
2-166	• •	>					
2-265-1	• •	> •	•	•	•	•	•
2-265-2	• •	> •	•	•	•	•	•
2-275	0 (
2-601	• •	> •	•	•	•		
2-620	• •	>		•	•		
2-701				•	•	•	•
3-0605				•	•		
3-0611						•	•
3-132-16		•	•				
3-574-6				•	•		
3-601-15	• •	> •	•	•	•	•	•
3-606-15	• •	> •					
3-631-15		•					
3-632-15	• •	> •	•				
3-633-15	• •						
3-634-15	•	•	•				
3-732-16		•	•				
4-261		•					
4-301		0	•				
4-311		0	•				
4-321		•					
4-331	• •	>					

	6100	4100	6400	4400	9029	4700	6750	4750
item nr.	9	4	9	4	9	4	9	4
4-343VDE	•	•	•	•			•	•
4-351			•	•				
4-366			 					
4-391			•					
4-393				•				
4-522	•	•						
4-523	•							
4-533	•	•						
4-542	•	•						
4-543	•	•						
4-603	•	•						
4-607	•	•						
4-621	•	•						
4-622	•	•						
4-623	•	•						
4-624	•							
4-643					•			
4-656					O			
4-657					•			
5-006			•	•				
5-049			•	•				
5-107	•	•	•	•	•	•		
5-115			•	•				
5-117	•	•	•	•	•	•		
5-161			•	•				
5-181			•	•				
5-210	•	•	•	•				
5-240					•	•		
5-301			•	•				
5-305	•	\Q						



item nr.	6100	6400	6700	6750
item nr.				
5-501		• •		
5-505			• •	• •
5-515				• •
5-531		•		•
5-535				00
6-200	\Diamond \Diamond	\diamond		
6-500			•	•
6-500-12			•	
6-500-18			• •	•
6-600				•
6-600-12			•	
6-600-17			•	
6-600-19			•	
6-661	• •			
6-663 L	\Diamond \Diamond			
6-750-3	• •	• •		
6-750-4	\Diamond \Diamond	\diamond \diamond		
6-750-5	\Diamond \Diamond	00		
6-750-6	• •	• •		
6-750-7	•	•		
6-750-9	•	•		
6-771	• •			
6-820	• •	00	•	•
6-950			•	•
6-984 L	• •			
6-985 L	• •			
6-986 L	• •			
6-995			00	00
7-114				•
7-116				•

item nr.	6100	4100	6400	4400	0029	4700	6750	4750
7-425	0	•	0	•	0	0	0	0
7-435			0					
7-502						•		0
7-506					•		0	
7-508			•	•				
7-511			Ó	Ó				
7-535							0	0
7-616			0	0	0	0	0	0
8-376							0	0
8-390							0	0
9-316					•			
13-906 VDE					•	•	•	0
13-915 VDE					•	•	•	0
13-927 VDE					•	•	•	0
13-936 VDE					•		•	•
14-651 VDE			•	•	•	•	•	•
14-652 VDE					•	•	•	•
14-653 VDE			•	•	•	•	•	•
14-654 VDE			•	•				
14-681 VDE					•	\Q	•	•
14-682 VDE					\Q	\Q	•	•
14-683 VDE					•	•	•	•
14-684 VDE					•		•	
14-691 VDE			•	•				
14-692 VDE			•	•				
15-531 VDE			•				•	
16-299 VDE					•	•	•	•
16-301 VDE					•	•	•	•
16-302 VDE					0	0	0	0



4750 SECURITY

A tool case with special tools for the installation and maintenance of complex secuity and alarm systems as well as for working with VDE insulated tools and soldering with independent gas soldering iron.

52- part tool assortement

consisting of:

item-nr.	description	item-nr.	description
5015	Tool case with bottom tray and 2 toolboards	7-535	Spirit level, 225 mm lang
2-265-1	Test prod, red, 1 mm	7-616	Pocket hack saw PUK in a plastic wallet
2-265-2	Test prod, black, 1 mm	8-376	Gas soldering iron Independent 75
2-701	Insertion tool with sensor, wire connection without	8-390	PRAKTIK desoldering suction pump
	soldering, screwing and stripping, cutting the remaining length all in one operation	13-906 VDE	Side cutters, 160 mm, safety insulation
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head, Semi Flush, dissipative bicoloured handle	13-915 VDE	Telephone pliers, 160 mm, straight, with wire cutter, safety insulation
3-0611	Crimping pliers for BNC- und TNC-coaxial connectors	13-927 VDE	Flat nose pliers, 160 mm, safety insulation
4-343 VDE	VDE voltage tester, 60 x 3.0 mm	13-936 VDE	Combination pliers, 160 mm, safety insulation
5-505	Swivel-blade cable stripper with hook blade Ø 4 - 28 mm	14-651 VDE	Screwdriver, 75 x 2.5 mm, bicoloured safety insulation
5-515	Universal blade knife	14-652 VDE	Screwdriver, 100 x 3.5 mm, bicoloured safety insulation
5-531	Wire stripper "Super" for works on hot lines up to 100° Volt	14-653 VDE	Screwdriver, 100 x 4.0 mm, bicoloured safety insulation
5-535	Coax cable stripper for Ø 4,8 - 7,5 mm	14-681VDE	Cross-recess screwdriver, size 0, blade length 60 mm, bicoloured safety insulation
6-500	5-piece double open-ended wrench set	14-682 VDE	Cross-recess screwdriver, size 1, blade length 80 mm,
6-500-18	Extra-flat double open-ended wrench 18x19 mm		bicoloured safety insulation
6-820	8-piece wrench key set in a plastic wallet	14-683 VDE	Cross-recess screwdriver, size 2, blade length 100 mm,
6-995	8-piece TORX-wrench key with bore-hole		bicoloured saftey insulation
7-114	Engineer's hammer to DIN 1041, 200 g	16-299 VDE	Socket wrench, 4,0 mm, with bicoloured safety insulation
7-425	Dust brush, bristles width 25 mm	16-301VDE	Socket wrench, 5.0 mm, with bicoloured safety insulation
7-502	Folding rule, 2 m (wood)	16-302 VDE	Socket wrench, 5.5 mm, with bicoloured safety insulation

4750 SECURITY



PERFORMANCE



52 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 3.840 g with tools: 7.430 g





4700 TELEDATA

The case with special tools for the installation and maintenance of telecommunication systems, data networks and working with VDE insulated tools.

54 part tool assortement

consisting of:

item-nr.	description	item-nr.	description
5015	Tool case with bottom tray and 2 toolboards	6-995	8-piece TORX-wrench key with bore-hole
2-265-1	Test prod, red, 1 mm	7-425	Dust brush, bristles width 25 mm
2-265-2	Test prod, black, 1 mm	7-502	Folding rule, 2 m (wood)
2-601	IC-tweezers	7-616	Pocket hack saw PUK in a plastic wallet
2-620	PLCC-extractor	13-906	Side cutters, 160 mm, safety insulation
2-701	Insertion tool with sensor, wire connection without soldering, screwing and stripping, cutting the	13-915	Telephone pliers, 160 mm, straight, with wire cutter, safety insulation
	remaining length all in one operation	13-927 VDE	Flat nose pliers, 160 mm, safety insulation
3-574-6	Water pump pliers, 175 mm, red insulation	14-651 VDE	Screwdriver, 75 x 2.5 mm, bicoloured safety insulation
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head, Semi Flush, dissipative bicoloured handle	14-652 VDE	Screwdriver, 100 x 3.5 mm, bicoloured safety insulation
3-0605	Combination crimping pliers for connector types	14-653 VDE	Screwdriver, 100 x 4.0 mm, bicoloured safety insulation
3-0003	6P/6C, 6P/4C, 6P/2C und 8P/8C	14-681 VDE	Cross-recess screwdriver, size 0, blade length 60 mm,
5-107	Engineer's tweezers, 150 mm, fine bent tips, nickel-plated		bicoloured safety insulation
5-117	Engineer's tweezers, 145 mm, straight-flat-wide, nickel-plated	14-682 VDE	Cross-recess screwdriver, size 1, blade length 80 mm, bicoloured safety insulation
5-240	6-piece set warding files with wooden handle in a plastic wallet	14-683 VDE	Cross-recess screwdriver, size 2, blade length 100 mm, bicoloured saftey insulation
5-505	Swivel-blade cable stripper with hook blade Ø 4 - 28 mm	16-299 VDE	Socket wrench, 4,0 mm, with bicoloured safety insulation
6-500	5-piece double open-ended wrench set	16-301VDE	Socket wrench, 5.0 mm, with bicoloured safety insulation
6-500-18	Extra-flat double open-ended wrench, 18x19 mm	16-302 VDE	Socket wrench, 5.5 mm, with bicoloured safety insulation
6-820	8-piece wrench key set in a plastic wallet		

4700 TELEDATA



PERFORMANCE




54 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 3.840 g with tools: 6.790 g





4400 TECHNIC

A tool set for the technician. All tools are clearly arranged on two tool boards. The multitude of his tools distinguish this case.



consisting of:

item-nr.	description	item-nr.	description
4415	Tool case with bottom tray and 2 toolboards	5-115	Heat dissipating tweezers, 165 mm, with flat, wide points and copper jaws, nickel-plated
1-909	Engineer's mirror with extension	5-117	Engineer's tweezers, 145 mm, straight-flat-wide,
2-126	Desoldering lever, slotted at one ends		nickel-plated
2-127	Tin knife	5-161	Clamping scissors, 130 mm, with serrated jaws, stainless
2-128	Tin scraper	5-181	Wire scraper tweezers, 130 mm, with interchangeable cuttersn
2-132	Spring hook	5-210	6-piece set needle files, in a plastic wallet
2-161	Magnetic bar	5-301	Special scissors, 110 mm, with teeth
2-265-1	Test prod, red, 1 mm	5-501	Electrician's knife, with special wooden handle
2-265-2	Test prod, black, 1 mm	5-531	Automatic wire stripper Super for cable 0,2 - 6 mm2
2-601	IC-tweezers	6-200	8-piece socket wrench, in a plastic wallet
3-132-16	Side cutters, 130 mm, swedish design, bicoloured hand guard	6-750-3	Extra-flat double open-ended wrench, 3 x 3,5 mm
3-601-15	Side cutters CLASSICline, 115 mm, with slim rounded head,	6-750-4	Extra-flat double open-ended wrench, 4 x 4,5 mm
	Semi Flush, dissipative bicoloured handle	6-750-5	Extra-flat double open-ended wrench, 5 x 5,5 mm
3-632-15	Flat nose pliers CLASSICline, 120 mm, with short jaws,	6-750-6	Extra-flat double open-ended wrench, 6 x 6,5 mm
	dissipative bicoloured handle	6-820	8-piece wrench key set in a plastic wallet
3-634-15	Snipe nose pliers CLASSICline, 120 mm, with short jaws, angular, dissipative bicoloured hand guard	7-425	Dust brush, bristles width 25 mm
3-732-16	Combination pliers, 165 mm, with wire cutter,	7-508	Steel tape measure, 30 cm
	bicoloured hand guard	7-511	Precision caliper square, 150 mm
4-301	Miniature screwdriver, 40 x 1.8 mm	7-616	Pocket hack saw PUK in a plastic wallet
4-311	Screwdriver for grub screws, 80 x 2.8 mm	14-651VDE	Screwdriver, 75 x 2.5 mm, bicoloured safety insulation
4-343 VDE	VDE voltage tester, 60 x 3.0 mm	14-653 VDE	Screwdriver, 100 x 4.0 mm, bicoloured safety insulation
4-351	Offset screwdriver, 100 x 4.0 mm	14-654 VDE	Screwdriver, 125 x 5.5 mm, bicoloured safety insulation
4-393	Watchmaker's screwdriver magazin, nickel-plated, 5 blades 1.5, 2.0, 2.5 mm, CS size 00, 000	14-691 VDE	Cross-recess screwdriver PZ, size 0, blade length 60 mm, bicoloured safety insulation
5-006	Component tweezers, 140 mm, with insulated jaws, nickel-plated	14-692 VDE	Cross-recess screwdriver PZ, size 1, blade length 80 mm, bicoloured safety insulation
5-049	SMD tweezers, 110 mm, straight, very sharply pointed		
5-107	Engineer's tweezers, 150 mm, fine bent tips, nickel-plated		

4400 TECHNIC



PERFORMANCE



68 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 3.910 g with tools: 5.955 g





4100 PC-CONTACT

A service case with tools for the installation and maintenance of computers and peripheral devices.

61 part tool assortement

consisting of:

item-nr.	description	item-nr.	description
4415	Tool case with bottom tray and 2 toolboards	4-603	Screwdriver, dissipative handle, 40 x 1.5 mm
2-127	Tin knife	4-607	Screwdriver, dissipative handle, 50 x 3.0 mm
2-132 2-161	Spring hook	4-621	Cross-recess screwdriver, with dissipative handle, size PH 000 blade length 40 mm
2-166	Magnetic bar Glass fibre contact cleaner brush	4-622	Cross-recess screwdriver, with dissipative handle, size PH 00, blade length 40 mm
2-265-1 2-265-2	Test prod, red, 1 mm Test prod, black, 1 mm	4-623	Cross-recess screwdriver, with dissipative handle, size PH 0, blade length 50 mm
2-275	Repair mirror	5-107	Engineer's tweezers, 150 mm, fine bent tips, nickel-plated
2-601 2-620	IC-tweezers PLCC-extractor	5-117	Engineer's tweezers, 145 mm, straight-flat-wide, nickel-plated
2-620 3-601-15		5-210	6-piece set needle files, in a plastic wallet
3-001-15	501-15 Side cutters CLASSICline, 115 mm, with slim rounded head, Semi Flush, dissipative bicoloured handle	5-305	Combination cutters, 140 mm, stainless steel
3-606-15	End cutters CLASSICline, 120 mm, with angular tips 30°,	6-200	8-piece socket wrench, in a plastic wallet
	Flush, dissipative bicoloured handle	6-661	TORX-screwdriver, with dissipative handle, size T 5
3-632-15	Flat nose pliers CLASSICline, 120 mm, with short jaws, dissipative bicoloured handle	6-663 L	TORX-screwdriver, with dissipative handle, size T 7 with bore-hole
3-633-15	Snipe nose pliers CLASSICline, 120 mm, with short jaws, dissipative bicoloured handle	6-750-3	Extra-flat double open-ended wrench, 3 x 3,5 mm
4-331	Installation screwdriver, 45 x 6 mm	6-750-4	Extra-flat double open-ended wrench, 4 x 4,5 mm
4-343 VDE	VDE voltage tester, 60 x 3.0 mm	6-750-5	Extra-flat double open-ended wrench, 5 x 5,5 mm
4-522	Electrician's screwdriver EUROline-Power, 75 x 3.0 mm	6-750-6	Extra-flat double open-ended wrench, 6 x 6,5 mm
4-523	Electrician's screwdriver EUROline-Power, 100 x 4.0 mm	6-771	Adjustable wrench, 100 mm
4-533	Cross-recess screwdriver, EUROline-Power, size PH 1, blade length 80 mm	6-820 6-984 L	8-piece wrench key set in a plastic wallet TORX-screwdriver EUROline-Power, T 9, with bore-hole
4-542	Cross-recess screwdriver , EUROline-Power, size PZ 0, blade length 60 mm	6-985 L	TORX-screwdriver EUROline-Power, T 10, with bore-hole
4-543	Cross-recess screwdriver, EUROline-Power, size PZ 1, blade length 80 mm	6-986 L 7-425	TORX-screwdriver EUROline-Power, T 15, with bore-hole Dust brush, bristles width 25 mm

4100 PC-CONTACT



PERFORMANCE



61 Tools



outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



without tools: 3.910 g with tools: 5.530 g



TOOL CASE

PERFORMANCE

JUST DIFFERENT.



OUTSIDE

The PERFORMANCE case provides a good balance between price and function. Reduced to the most important functions, it represents an inexpensive alternative to the PROTECTION cases.

The use of X-ABS plastic with an extreme slip resistant surface make the case more resistant against external influences. The high impact and break resistant material makes the tool case suitable for air travel.

The stable aluminum frame and the lid locking mechanism round the image of a functional and at the same time low-priced tool case.

The case PERFORMANCE includes the following equipment:

stable handle

In the lid there is a permanently installed toolboard with 22 pockets on the front and back. The bottom tray is available in two versions:



Cover plate with 32 pockets, ideal for many small tools



5015

Cover plate with 6 pockets

INSIDE

The tool boards made of CONPEARL® with pockets are robust, washable and firmly installed in the case. The bottom tray is freely partitionable with removable walls.



freely partitionable bottom tray




outside: 480 x 350 x 190 mm inside: 460 x 320 x 180 mm



4415: 3.910 g 5015: 3.840 g locks

THE NEW BERNSTEIN-CATALOG



COMING SOON!

We work with high pressure on the new catalog, which will be available in may 2017.



CONTENT

Cases PERFORMANCE – Series overview 4

4100 - tool case PC-Conact 6

4400 - tool case TECHNIC 8

4700 - tool case TELEDATA 10

14

ASSEMBLY OVERVIEW

4750 - tool case SECURITY



